



Outline

- Overview Overview
- Requirements for Public Toilets
- References

Overview

Public toilets

- Defined as a toilet that the general public has free access, regardless of payment/ nonpayment
- Design depends on the following factors:-
 - Ease of maintenance
 - Facilitate proper toilet use and personal toilet hygiene

References:

- Code of Practice on Environmental Health (COPEH) 2005 Section 2
- Environmental Public Health Act (EPHA)
- ❖ A Guide to Better Public Toilet Design & Maintenance

COPEH

- Provides guidelines to address Environmental Health concerns in the design of buildings
- Spells out the objectives to be met
- Stipulates the minimum basic design criteria

QPs may exercise flexibility and creativity to meet the stated requirements, so long as design outcomes satisfy the stated objectives

General Design Criteria

Design of toilet's main entrance: Do away with a door

Cubicles, urinals & mirrors shall be sited away from line of sight from main entrance

Off-set Entrance maze without Doors



Automated Entrance Door



Sanitary Fittings

The number of public toilets and sanitary fittings to be provided in a building, is given in COPEH (Appendix 2)

Categories of Places		Number of Sanitary Facilities					
		Female		Male			
		WC	WHB	WC	UR	WHB	
(1)	SHOPPING PLACE/ SUPERMARKET/ WET MARKET						
	Not more than 350 sq m	1*	1*	_	-	-	
	351 sq m to 700 sq m	2	1	1_	1	1	
	701 sq m to 1,000 sq m	3	2	1	2	1	
	1,001 sq m to 1,500 sq m	4	3	1	3	2	
	1,501 sq m to 3,000 sq m	5	3	2	3	3	
	3,001 sq m to 5,000 sq m	7	4	3	4	4	
	Every additional 2,000 sq m or less in excess of 5,000 sq m	2	1	1	1	1	

*To be used by both male and female

WC: Water Closet

WHB: Wash Hand Basin

UR: Urinal

Sanitary Fittings

Categories of Places		Number of Sanitary Facilities				
		Female		Male		
		WC	WHB	WC	UR	WHB
(1)	EATING ESTABLISHMENT/ FOOD CENTRE/ BAR/ NIGHTCLUB					
	Not more than 250 sq m	1*	1*	_	_	-
	251 sq m to 500 sq m	2	1	1	1	1
	501 sq m to 750 sq m	3	2	1	2	2
	751 sq m to 1,000 sq m	5	2	2	3	2
	1,001 sq m to 1,500 sq m	(6)	3	2	4	3
	1,501 sq m to 2,000 sq m	8	4	3	5	4
	2,001 sq m to 3,000 sq m	9	5	3	6	4
	3,001 sq m to 4,500 sq m	11	6	4	7	5
	Every additional 1,500 sq m or	2	1	1	1	1
	less in excess of 4,500 sq m					

*To be used by both male and female

WC: Water Closet

WHB: Wash Hand Basin

UR: Urinal

Provision of Amenities



Liquid soap or foam soap dispenser

 Minimum of one soap dispenser shall be provided for every two wash hand basins

Hand-dryer blower or paper towel dispenser

 Minimum of one hand-dryer blower and/or paper towel dispenser shall be provided near the wash hand basin area

Litterbins

- Minimum of one litterbin shall be provided near wash hand basin area
- Sanitary bin provided in each WC cubicle in the female toilet

Toilet paper holder

 A jumbo toilet paper roll holder or a toilet tissue sheet dispenser of similar capacity shall be installed in each WC cubicle.

Provision of amenities in Public Toilets mandated by law (since 1992)

Regulation 16A

Environmental Public Health (Public Cleansing) "Every owner or occupier of a building shall ensure that the toilets therein to which the public has access are at all times provided with adequate toilet paper, soap or liquid detergent, litter bins, and clean towels or hand dryers."

Regulation 30 (2c)

Environmental Public Health (Food Hygiene) "Every licensee of a food establishment or private market shall ensure that –

(c) the toilet is provided with toilet paper, soap or liquid detergent, litter bin or receptacle and clean towel or hand dryer;

Penalties for Toilet Owners

Environmental Public Health Act (Chapter 95)

Management of Food Establishments

(Failure to keep toilet clean/ Failure to provide amenities)

- Fine of \$300
- 4 demerit points for each offence

Management of Buildings

(Failure to provide amenities)

Fine of \$300



Our Environment - Sustain and Enjoy



Contact Info

Feedback Useful Links

Search

Home About Us Programmes Resources

Topics

unds & Incentives

Awards Online Services Newsroom

+ More

.Business

.Individual

.School

.a clean city

is a strong reflection of our moral and civic values

Weather Till 12AM, 21-03-2011

24 - 31°C

Showers with thunder over many areas in the afternoon.

+ more details

Radiation Level at 4pm, 19 Mar 11

0.08 micro-sievert per hour Status: NORMAL

NEA monitors the ambient radiation level continuously. The average radiation level from 18 Mar 2011 (4 pm) to 19 Mar 2011 (4 pm) is 0.08 micro-sievert per hour. It is within the normal background levels.

PSI as at 4 PM, 19-03-2011

23

+ more details

Latest Happenings

+ More

Latest Campaigns

Energy Efficient Singapore Campaign Learn about Energy Efficiency here

Weather@S

Volcanic Advisory

Subscribe to our RSS


Japan Earthquake: Singapore's Efforts

Public urged not to be unduly alarmed

Minimal risk of a radiological plume over Singapore



Do The Right Thing, Let's Bin New Anti-littering Campaign Watch the Anti-littering Musical here!





Our Environment - Sustain and Enjoy



Programmes

Home | About Us | Programmes | Resources | Topics | Funds & Incentives | Awards | Online Services | Newsroom

Business

Individual

.School

Home > Topics > Public Toilet



- Air Pollution
- Care For The Dead Services
- Building Plan
 Submission Procedures
 Requirements
- Climate Change And Energy Efficiency
- Drinking Water Unit
- Environmental Monitoring
- **■** Environmental Planning
- Environmental Research
- Environmental Technology
- Environmental Training

Public Toilet

Promoting clean and well-maintained public toilets is an important aspect of NEA's public health efforts. NEA provides owners of public toilets with operating and maintenance guidelines and requirements.

Search

Design guidelines for public toilets can be found in the Code of Practice on Environmental Health.

NEA in selfavoration with the Restroom Association of Singapore, has published a guidebook clied 'A Guide To Better Public Toilet Design and Maintenance' that covers topics such as design, leveut ventilation, maintenance and user education.

Public can also download educational posters on public toilets from NEA's website.

- Milieu
- State of the Environment
- **■** Environment Courses
- List of Licencees
- Weather Today
- PSI Update
- Subscribe to our RSS

Code of Fractice for Licensed General Waste Collectors

Code of Practice on Pollution Control

Code of Practice for the Control of Legionella Bacteria in Cooling Towers

Code of Practice on Piped Drinking Water Sampling and Safety Plans

Code of Practice on Environmental Health

back to top

The code of practice contains information on the essential design criteria which should be met to satisfy environmental health requirements in the design of refuse storage and collection systems, public toilets, food retail outlets, supermarkets, food catering outlets, markets, swimming pools and dormitories.

The code of practice emphasises the objectives to be achieved rather than the means to achieve these objectives. In this way, qualified professionals such as architects, professional engineers and developers, as well as members of the public, can exercise flexibility and creativity in their building designs.

Release	Date of release		
COPEH 2005	Nov 2005		Download
Addendum No. 1	Feb 2006	View on-line	Download
COPEH 2005 with Addendum No. 1	Feb 2006		Download
Addendum No. 2	Aug 2007	View on-line	Download
COPEH 2005 with Addendum No. 1 & 2	Aug 2007	View on-line	Download
Addendum No. 3	Jan 2009	View on-line	Download
COPEH 2005 with Addendum No. 1,2 & 3	Jan 2009	View on-line	Download
Addendum No. 4	Aug 2010	View on-line	Download
COPEH 2005 with Addendum No. 1,2,3 & 4	Aug 2010	View on-line	Download

■ Guidebooks/Handbooks

■ Code of Practice

 Request for Educational Materials

■ Legislation

■ Milieu

State of the Environment

■ Environment Courses

■ List of Licencees

Weather Today

PSI Update

Subscribe to our RSS

Home > Resources > Code of Practice of Environmental Health 2005 (with addendum 4)



Code Of Practice On Environmental Health 2005

Introduction

1. Introduction

Building Plan Requirements

Section

- 1. Refuse Storage And Collection System
- 2. Public Toilet
- Food Retail Outlet
- Supermarket
- 5. Food Catering Outlet
- 6. Market
- Swimming Pool
- 8. Dormitory
- 9. Anti-Mosquito Breeding
- 10. Premises With Cattle
- Storage And Collection System For Recyclables At Strata-Titled Properties With Residental Units

Appendix

- Example of Layout of Bin Cent
- 2. Provision of Sanitary Facilities

NEA Website

Topics

Public Toilets

COPEH 2005

http://app2.nea.gov.sg/codeofpractice.aspx

Environmental
Public Health
Act
(EPHA)

http://app2.nea.gov.sg/legislation.aspx

Guide to Better
Public Toilet
Design &
Maintenance

- Publication may also be used for further reference.
- http://app2.nea.gov.sg/topics_public_toilet.aspx

Thank You